

EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
125 Duke ohne ABS 2011/2012	MRF	REVZ-FC	110/70 R17 M/C 54S TL	keine Markenbindung	REVZ-C	150/60 R 17 M/C 66S TL	keine Markenbindung
	Metzeler	Sportec M5 Interact			Sportec M5		
		Sportec M3			Sportec M3		
	Pirelli	Diablo Rosso II			Diablo Rosso II		
		Supercorsa Pro			Supercorsa Pro		
Michelin	Pilot Power	Pilot Power					
125 Duke ABS 2013	MRF	REVZ-FC	110/70 R17 M/C 54S TL		REVZ-C	150/60 R 17 M/C 66S TL	
	Bridgestone	BT 003F Street	110/70 ZR17 M/C (54W) TL		BT 003 R Street	150/60 ZR17 M/C (66W) TL	
	Dunlop	Qualifier	110/70 R17 M/C 54H TL		Qualifier	150/60 R17 M/C 66H TL	
125 Duke 2017	Metzeler	Sportec M5 Interact	110/70 ZR 17 M/C 54W TL		Sportec M5 Interact	150/60 ZR 17 M/C 66W TL	
	Michelin	Pilot Street Radial	110/70 R 17 M/C 54H TL		Pilot Street Radial	150/60 R 17 M/C 66H TL	
	Continental	ContiSportAttack 2	110/70 ZR 17 M/C 54W TL		ContiSportAttack 2	150/60 ZR 17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R 17 M/C 54H TL		Diablo Rosso II	150/60 R 17 M/C 66H TL	
RC 125 2017	Metzeler	Sportec M5 Interact	110/70 ZR 17 M/C 54W TL		Sportec M5 Interact	150/60 ZR 17 M/C 66W TL	
	Michelin	Pilot Street Radial	110/70 R 17 M/C 54H TL		Pilot Street Radial	150/60 R 17 M/C 66H TL	
	Continental	ContiSportAttack 2	110/70 ZR 17 M/C 54W TL		ContiSportAttack 2	150/60 ZR 17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R 17 M/C 54H TL		Diablo Rosso II	150/60 R 17 M/C 66H TL	
200 Duke ohne ABS 2012	MRF	REVZ-FC	110/70 R17 M/C 54S TL	keine Markenbindung	REVZ-C	150/60 R 17 M/C 66S TL	keine Markenbindung
	Metzeler	Sportec M5 Interact			Sportec M5		
		Sportec M3			Sportec M3		
	Pirelli	Diablo Rosso II			Diablo Rosso II		
		Supercorsa Pro			Supercorsa Pro		
Michelin	Pilot Power	Pilot Power					
200 Duke ABS 2013	MRF	REVZ-FC	110/70 R17 M/C 54S TL		REVZ-C	150/60 R 17 M/C 66S TL	
	Bridgestone	BT 003F Street	110/70 ZR17 M/C (54W) TL		BT 003 R Street	150/60 ZR17 M/C (66W) TL	
	Dunlop	Qualifier	110/70 R17 M/C 54H TL		Qualifier	150/60 R17 M/C 66H TL	
390 Duke ABS 2013	Bridgestone	BT 003F Street	110/70 ZR17 M/C (54W) TL		BT 003 R Street	150/60 ZR17 M/C (66W) TL	
	Pirelli	Diablo Rosso II	110/70 R17 M/C 54H TL		Diablo Rosso II	150/60 R17 M/C 66H TL	
	Dunlop	Qualifier	110/70 R17 M/C 54H TL		Qualifier	150/60 R17 M/C 66H TL	
	Continental	SportAttack 2	110/70 ZR17 M/C 54W TL		SportAttack 2	150/60 ZR17 M/C 66W TL	
	Metzeler	Sportec M5 Interact	110/70 ZR17 M/C 54W TL	OE	Sportec M5 Interact	150/60 ZR17 M/C 66W TL	OE
390 Duke 2017	Metzeler	Sportec M5 Interact	110/70 ZR 17 M/C 54W TL	OE	Sportec M5 Interact	150/60 ZR 17 M/C 66W TL	OE
	Michelin	Pilot Street Radial	110/70 R 17 M/C 54H TL		Pilot Street Radial	150/60 R 17 M/C 66H TL	
	Continental	ContiSportAttack 2	110/70 ZR 17 M/C 54W TL		ContiSportAttack 2	150/60 ZR 17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R 17 M/C 54H TL		Diablo Rosso II	150/60 R 17 M/C 66H TL	
RC 390 ABS 2014-2016	Metzeler	Sportec M5 Interact	110/70 ZR17 M/C 54W TL		Sportec M5 Interact	150/60 ZR17 M/C 66W TL	
	Continental	SportAttack 2	110/70 ZR17 M/C 54W TL		SportAttack 2	150/60 ZR17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R17 M/C 54H TL		Diablo Rosso II	150/60 R17 M/C 66H TL	
RC 390 2017	Metzeler	Sportec M5 Interact	110/70 ZR 17 M/C 54W TL	OE	Sportec M5 Interact	150/60 ZR 17 M/C 66W TL	OE
	Michelin	Pilot Street Radial	110/70 R 17 M/C 54H TL		Pilot Street Radial	150/60 R 17 M/C 66H TL	
	Continental	ContiSportAttack 2	110/70 ZR 17 M/C 54W TL		ContiSportAttack 2	150/60 ZR 17 M/C 66W TL	
	Pirelli	Diablo Rosso II	110/70 R 17 M/C 54H TL		Diablo Rosso II	150/60 R 17 M/C 66H TL	



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE

>> www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
625 SXC 2003-2007	Metzeler	MCE 6 Days Extreme	90/90-21 M/C 54R	Leistungsreduziert 25 kW	MCE 6 Days Extreme	140/80-18 M/C 70M	Leistungsreduziert 25 kW
		Tourance			Tourance		
		Enduro 3			Enduro 3		
		MCE Karoo (T)			MCE Karoo (T)		
	Pirelli	MT 60	90/90-21 54Q		MT 60	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		MT 70			MT 70		
		MT 21			MT 21		
		MT 90 A/T			MT 90 A/T		
		Scorpion Pro			Scorpion Pro		
	Michelin	T63	90/90-21 54Q		T63	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		Sirac			Sirac		
		Enduro Competition IV			Enduro Competition III		
	Bridgestone	ED 661	90/90-21 54Q		ED660	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		TW301			TW302		
625 SMC 2004-2006	-	-	120/70 R17 54Q 120/70- 17 54Q	-	-	150/60 R17 65Q 160/60 R17 65Q 150/60-17 65Q 160/60-17 65Q	-
640 LC4 Enduro 2003-2006	Metzeler	MCE 6 Days Extreme	90/90-21 M/C 54R	Leistungsreduziert 25 kW	MCE 6 Days Extreme	140/80-18 M/C 70M	Leistungsreduziert 25 kW
		Tourance			Tourance		
		Enduro 3			Enduro 3		
		MCE Karoo (T)			MCE Karoo (T)		
	Pirelli	MT 60	90/90-21 54Q		MT 60	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		MT 70			MT 70		
		MT 21			MT 21		
		MT 90 A/T			MT 90 A/T		
		Scorpion Pro			Scorpion Pro		
	Michelin	T63	90/90-21 54Q		T63	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		Sirac			Sirac		
		Enduro Competition IV			Enduro Competition III		
	Bridgestone	ED 661	90/90-21 54Q		ED660	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		TW301			TW302		
Continental	TKC80	90/90 -21 54S TT	TKC80	140/80-18 54S TT			
640 LC4 SM 1999-2006	-	-	120/70 R17 54Q 120/70- 17 54Q	-	-	150/60 R17 65Q 160/60 R17 65Q 150/60-17 65Q 160/60-17 65Q	-
640 Duke II	-	-	120/70 R17 54S 120/70- 17 54S	-	-	160/60 R17 65S 150/60-17 65S 160/60-17 65S	-



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
» www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
640 LC4 Adventure 2003-2007	Metzeler	MCE 6 Days Extreme	90/90-21 M/C 54R	Leistungsreduziert 25 kW	MCE 6 Days Extreme	140/80-18 M/C 70M	Leistungsreduziert 25 kW
		Tourance			Tourance		
		Enduro 3			Enduro 3		
		MCE Karoo (T)			MCE Karoo (T)		
	Pirelli	MT 60	90/90-21 54Q		MT 60	120/80-18 62Q 130/80-18 65Q 140/80-18 65Q	
		MT 70			MT 70		
		MT 21			MT 21		
		MT 90 A/T			MT 90 A/T		
	Michelin	Scorpion Pro	90/90-21 54Q		Scorpion Pro	140/80-18 65Q	
		T63			T63		
		Sirac			Sirac		
	Bridgestone	Enduro Competition IV	90/90-21 54Q		Enduro Competition III	140/80-18 65Q	
		ED 661			ED660		
	Continental	TW301	90/90-21 54Q		TW302	140/80-18 65Q	
TKC80		TKC80					
660 SMC 2003-2006	-	120/70 R17 54Q 120/70- 17 54Q	-	150/60 R17 65Q 160/60 R17 65Q 150/60-17 65Q 160/60-17 65Q			
	-	-	-	-			
690 Supermoto/ 690 Supermoto R 2007-2009	Michelin	Pilot Road 2	120/70 ZR 17 M/C (58W)	Pilot Road 2	160/60 ZR17 M/C (69W)		
		Pilot Power		Pilot Power			
		Pilot Power 2 CT		Pilot Power 2 CT			
	Pirelli	Diablo Rosso	120/70 R 17 M/C (58H) 120/70 ZR 17 M/C (58W)	Diablo Rosso	160/60 R17 M/C (69H) 160/60 ZR17 M/C (69W)		
		Supercorsa Pro		Supercorsa Pro			
		Scorpion Sync Front		Scorpion Sync Front			
	Diablo Strada	120/70 ZR 17 M/C (58W)	Diablo Strada	160/60 ZR17 M/C (69W)			
690 Supermoto/ 690 Supermoto R 2007-2009	Metzeler	Sportec M3	120/70 ZR 17 M/C (58W)	Sportec M3	160/60 ZR17 M/C (69W)		
		Roadtec Z6 Interact		Roadtec Z6 Interact			
	Bridgestone	Battlax BT-090F	120/70 ZR 17 M/C (58H) 120/70 ZR 17 M/C (58W)	Battlax BT-090R PRO	160/60 ZR17 M/C (69H) 160/60 ZR17 M/C (69W)		
		BT 016F		BT 016R			
		Battlax BT-021F Sport Tour.		Battlax BT-021R Sport Tour.			
		Battlax BT-014R SE		Battlax BT-014R			
	Dunlop	Sportmax Alpha 10	120/70 ZR 17 M/C (58H)	Sportmax Alpha 10	160/60 R17 M/C (59H) 160/60 ZR17 M/C (69W)		
		Sportmax Qualifier RR		Sportmax Qualifier RR			
		Sportmax Qualifier F		Sportmax Qualifier			
		Sportmax D270F		Sportmax D270			
		Sportmax Qualifier 2		Sportmax Qualifier 2			
	Continental	Sportmax Mutant	120/70 ZR 17 M/C (58H)	Sportmax Mutant	160/60 ZR17 M/C (69H)		
		Conti Force SM		Conti Force SM			
	Avon	Conti Race Attack Street	120/70 ZR 17 M/C (58W)	Conti Race Attack Street	160/60 ZR17 M/C (69W)		
		VP 2 AV59 SP/SS		VP 2 AV60 SP/SS			
		Storm ST AV55		Storm ST AV56			
Viper AV59		Viper AV60					



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
» www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
690 SMC 2008-2011	Michelin	Pilot Power	120/70 ZR 17 M/C (58W)		Pilot Power	160/60 ZR 17 M/C (69W)	
		Power Pure D			Power Pure D		
	Pirelli	Diablo Rosso	120/70 R 17 M/C (58H)		Diablo Rosso	160/60 R17 M/C (69H)	
		Supercorsa Pro			Supercorsa Pro		
		Scorpion Sync Front			Scorpion Sync Front		
		Diablo Strada			Diablo Strada		
		Diablo Rosso 2			Diablo Rosso 2		
	Metzeler	Sportec M3	120/70 ZR 17 M/C (58W)		Sportec M3	160/60 ZR17 M/C (69W)	
		Z8 Interact			Z8 Interact		
		Sportec M5 Interact			Sportec M5 Interact		
	Bridgestone	S20F	120/70 ZR 17 M/C (58W)		S20R	160/60 ZR17 M/C (69W)	
		BT 023 F			BT 023 R		
	Dunlop	BT 021 F	120/70 ZR 17 M/C (58W)		BT 021 R	160/60 ZR17 M/C (69W)	
		Sportmax Roadsmart 2			Sportmax Roadsmart 2		
		Sportmax Qualifier RR			Sportmax Qualifier RR		
		Sportmax Qualifier F			Sportmax Qualifier		
		Sportmax Roadsmart			Sportmax Roadsmart		
		Sportmax D270F			Sportmax D270		
Sportmax Qualifier 2		Sportmax Qualifier 2					
Sportmax Sportsmart		Sportmax Sportsmart					
690 SMC 2008-2011	Continental	Conti Motion Z	120/70 ZR 17 M/C (58W)	OE	Conti Motion	160/60 ZR17 M/C (69W)	OE
		Conti Sport Attack 2	120/70R17 M/C (58H) TL		Conti Sport Attack 2	160/60 R17 M/C (69H)	
		Conti Attack SM	120/70R17 M/C (58H) TL		Conti Attack SM	160/60 R17 M/C (69H)	
		Conti RaceAttack C.E.	120/70 ZR 17 M/C (58W)		Conti RaceAttack C.E.	160/60 ZR17 M/C (69W)	
		Conti RoadAttack 2			Conti RoadAttack 2		
	Avon	Conti Race Attack Street	120/70 ZR 17 M/C (58W)	Conti Race Attack Street	160/60 ZR17 M/C (69W)		
		Conti Motion Z		Conti Motion			
		Storm 2		Storm 2			
		VP 2 AV59 SP/SS		VP 2 AV60 SP/SS			
		3D Ultra SP/SS		3D Ultra SP/SS			
690 Enduro / R 2008-2013	-	-	90/90 R21 54S 90/90-21 M/C 54S TT M+S	keine Markenbindung	-	140/80 R18 70S 140/80-18 70S	keine Markenbindung
	Metzeler	Enduro 3 Sahara	90/90 - 21 M/C 54S TT		Enduro 3 Sahara	140/80 - 18 M/C 70S TT	
	Pirelli	MT 21 Rallycross	90/90 - 21 M/C 54R TT		MT 21 Rallycross	140/80 - 18 M/C 70R TT	
	Continental	TKC 80	90/90-21 M/C 54S TT M+S	Vmax 160 km/h (M+S label)	TKC 80	140/80-18 M/C 70R TT M+S	Vmax 160 km/h (M+S label)
690 Enduro R 2014-2017	Metzeler	Enduro 3 Sahara	90/90 - 21 M/C 54S TT		Enduro 3 Sahara	140/80 - 18 M/C 70S TT	
	Pirelli	MT 21 Rallycross	90/90 - 21 M/C 54T TT		MT 21 Rallycross	140/80 - 18 M/C 70R TT	
	Continental	TKC 80	90/90 - 21 M/C 54S TT M+S		TKC 80	140/80 - 18 M/C 70R TT M+S	
690 SMC R 2012/2013	Bridgestone	BT 023 F	120/70ZR17 M/C (58W) TL		BT 023 R	160/60ZR17 M/C (69W) TL	
		S 20 F	120/70ZR17 M/C (58W) TL		S 20 R	160/60ZR17 M/C (69W) TL	
		T 30 F	120/70ZR17 M/C (58W) TL		T 30 R	160/60ZR17 M/C (69W) TL	
	Dunlop	Sportsmart 2	120/70 ZR17 M/C (58W) TL		Sportsmart 2	160/60ZR17 M/C (69W) TL	
		Continental	ContiMotion Z		120/70 ZR17 M/C (58W) TL	ContiMotion	
	ContiAttack SM		120/70 R17 M/C 58H TL		ContiAttack SM	160/60 R17 M/C 69H TL	
	ContiSportAttack 2	120/70 ZR17 M/C (58W) TL	ContiSportAttack 2		160/60 ZR17 M/C (69W) TL		



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
» www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
690 SMC R 2014 - 2017	Continental	ContiAttack SM	120/70 R 17 M/C 58H TL	OE	ContiAttack SM	160/60 R 17 M/C 69H TL	OE
690 Duke / 690 Duke R - ohne ABS 2008-2011	Michelin	Pilot Road 2	120/70 ZR 17 M/C (58W)		Pilot Road 2	160/60 ZR17 M/C (69W)	
		Pilot Power			Pilot Power		
		Power One			Power One		
		Power Pure			Power Pure		
		Pilot Power 2 CT			Pilot Power 2 CT		
	Pirelli	Diablo Rosso	120/70 R 17 M/C (58H)		Diablo Rosso	160/60 R17 M/C (69H)	
		Supercorsa Pro			Supercorsa Pro		
		Scorpion Sync Front			Scorpion Sync Front		
		Diablo Strada			Diablo Strada		
	Metzeler	Diablo Rosso Corsa	120/70 ZR 17 M/C (58W)		Diablo Rosso Corsa	160/60 ZR17 M/C (69W)	
		Angel ST			Angel ST		
		Sportec M3			Sportec M3		
		Roadtec Z6 Front			Roadtec Z6		
		Sportec M5 Interact			Sportec M5 Interact		
690 Duke / 690 Duke R - ohne ABS 2008-2011	Bridgestone	BT 016F	120/70 ZR 17 M/C (58W)		BT 016 R	160/60 ZR17 M/C (69W)	
		BT 023 F			BT 023 R		
		BT 021 F			BT 021 R		
	Dunlop	Sportmax Alpha 10	120/70 R 17 M/C (58H)		Sportmax Alpha 10	160/60 R17 M/C (59H)	
		Sportmax Qualifier RR			Sportmax Qualifier RR		
		Sportmax Qualifier F			Sportmax Qualifier		
		Sportmax Roadsmart			Sportmax Roadsmart		
		Sportmax D270F			Sportmax D270F		
		Sportmax Qualifier 2			Sportmax Qualifier 2		
		Sportmax Sportsmart			Sportmax Sportsmart		
	Continental	Conti Road Attack 2	120/70 ZR 17 M/C (58W)		Conti Road Attack 2	160/60 ZR17 M/C (69W)	
		Conti Sport Attack			Conti Sport Attack		
		Conti Race Attack Street			Conti Race Attack Street		
		Conti Motion Z			Conti Motion		
	Avon	Disanzia AM43	120/70 ZR 17 M/C (58W)		Disanzia AM44	160/60 ZR17 M/C (69W)	
		Storm 2			Storm 2		
		VP 2 AV59 SP/SS			VP 2 AV60 SP/SS		
		Storm ST			Storm ST		
		Viper AV59			Viper AV60		



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
» www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten					
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.			
690 Duke 2012-2016	Dunlop	Roadsmart 2	120/70 ZR 17 M/C (58W) TL		Roadsmart 2	160/60 ZR17 M/C (69W) TL				
		Sportmax Mutant			Sportmax Mutant					
		Sportmax Qualifier			Sportmax Qualifier					
		Sportsmart 2			Sportsmart 2					
	Michelin	Pilot Road 3			OE			Pilot Road 3	OE	
		Pilot Power						Pilot Power		
		Power Pure						Power Pure		
	Bridgestone	S20 F			S20 R					
		Continental			Conti AttackSM			120/70R 17 M/C (58H) TL	Conti AttackSM	160/60R17 M/C (69H) TL
					SportAttack 2			120/70R 17 M/C (58H) TL	SportAttack 2	160/60R17 M/C (69H) TL
			Conti Motion Z	120/70 ZR 17 M/C (58W) TL	Conti Motion	160/60 ZR17 M/C (69W) TL				
			Conti RaceAttack Competition Endurance		Conti RaceAttack Competition Endurance					
			Conti RoadAttack 2		Conti RoadAttack 2					
			ContiMotion Z	120/70 ZR17 M/C (58W) TL	ContiMotion	160/60 ZR17 M/C (69W) TL				
		ContiRoadAttack 2	120/70 ZR17 M/C (58W) TL	ContiRoadAttack 2 EVO	160/60 ZR17 M/C (69W) TL					
	Avon	Distanzia	120/70 R17 M/C 58H TL	AV60 Viper SP/SS	160/60 R17 M/C 69H TL					
	Metzeler	Sportec M5 Interact	120/70 ZR17 M/C (58W) TL	Sportec M5 Interact	160/60 ZR17 M/C (69W) TL					
	690 Duke R 2013-2016	Avon	Distanzia	120/70 R17 M/C 58H TL	Distanzia	160/60 R17 M/C 69H TL				
Continental		ContiMotion Z	120/70 ZR17 M/C (58W) TL	ContiMotion	160/60 ZR17 M/C (69W) TL					
		SportAttack2	120/70 ZR17 M/C (58W) TL	SportAttack2	160/60 ZR17 M/C (69W) TL					
		ContiRoadAttack 2/EVO	120/70 ZR17 M/C (58W) TL	ContiRoadAttack 2/EVO	160/60 ZR17 M/C (69W) TL					
Michelin		Pilot Power 3	120/70 ZR17 M/C (58W) TL	Pilot Power 3	160/60 ZR17 M/C (69W) TL					
Metzeler		Sportec M5 Interact	120/70 ZR17 M/C (58W) TL	Sportec M5 Interact	160/60 ZR17 M/C (69W) TL					
Pirelli		Diablo Rosso II K	120/70ZR17 M/C (58W) TL	Diablo Rosso II	160/60ZR17 M/C (69W) TL					
		Sportsmart 2	120/70ZR17 M/C (58W) TL	Sportsmart 2	160/60ZR17 M/C (69W) TL					
Dunlop		ROADSMART	120/70ZR17 M/C (58W) TL	ROADSMART	160/60ZR17 M/C (69W) TL					
		Sportmax Qualifier	120/70ZR17 M/C (58W) TL	Sportmax Qualifier	160/60ZR17 M/C (69W) TL					
690 Duke / 690 Duke R 2017	Metzeler	Sportec M7 RR	120/70 ZR 17 M/C (58W) TL	OE	Sportec M7 RR	160/60 ZR 17 M/C (69W) TL	OE			
950-990 ADV / S/R (ohne ABS) 2002-2006	Pirelli	MT90 Scorpion A/T	90/90-21 M/C 54V	Up to 160 km/h	MT90 Scorpion A/T	150/70-18 M/C 70V	Up to 160 km/h			
	Metzeler	Metzeler MCE Karoo 2	90/90-21 M/C 54R M+S		Metzeler MCE Karoo	150/70-18 M/C 70 R M+S				
	Continental	TKC80 M+S	90/90-21 M/C 54 S TT		TKC80 M+S	150/70 B18 M/C 70Q TT				
950 Super Enduro R 2006-2008	Metzeler	Enduro 3	90/90-21 M/C 54H TL	Up to 160 km/h	Enduro 3	140/80-18 M/C 70H TL	Up to 160 km/h			
		MCE Karoo 2 (T)	90/90-21 M/C 54Q M+S TL		MCE Karoo 2 (T)	140/80-18M/C 70 Q M+S TL				
	Continental	TKC80	90/90-21 M/C 54 S M+S TT		TKC80	140/80 -18 M/C 70R M+S TT				



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
950 SM / 950 SM R 2005-2008	Avon	AV59 Viper SP/SS	120/70 ZR17 M/C 58W TL		AV60 Viper SP/SS	180/55 ZR 17 M/C 73W TL	
		Avon VP2 AV59 SP/SS			Avon VP2 AV60 SP/SS		
		AV55 Storm ST			AV56 Storm ST		
	Michelin	Pilot Road S			Pilot Road S		
		Dunlop			Sportmax D208 RR		
	Sportmax Qualifier 2				Sportmax Qualifier 2		
	Pirelli	Scorpion Sync			Scorpion Sync		
		Diablo Rosso			Diablo Rosso		
Angel ST		Angel ST					
Bridgestone	BT 003 F Street	BT 003 R Street					
990 SM 2008/2009	Avon	AV59 Viper SP/SS	120/70 ZR17 M/C 58W TL		AV60 Viper SP/SS	180/55 ZR 17 M/C 73W TL	
		Avon VP2 AV59 SP/SS			Avon VP2 AV60 SP/SS		
		AV55 Storm ST			AV56 Storm ST		
	Metzeler	Racetec Front K3			Racetec K3		
	Dunlop	Sportmax Qualifier 2			Sportmax Qualifier 2		
		Pirelli			Scorpion Sync		
	Dragon Supercorsa Pro				Dragon Supercorsa Pro		
	Bridgestone	BT 016 F			BT 016 R		
BT 003 F Street		BT 003 R Street					
BT 002F Racing Street		BT 002 R Racing Street					
990 SM R 2009/2010	Avon	Storm 2	120/70 ZR17 M/C 58W TL		Storm 2	180/55 ZR 17 M/C 73W TL	
		Storm ST AV55			Storm ST AV56		
		VP2 AV59 SP/SS			VP2 AV60 SP/SS		
	Metzeler	Racetec Interact K3	120/70 ZR17 M/C 58W TL		Racetec Interact K3	180/55 ZR 17 M/C 73W TL	
		Roadtec Z6 Interact			Roadtec Z6 Interact		
	Dunlop	Sportmax Qualifier 2	120/70ZR17M/C (58W) TL		Sportmax Qualifier 2	180/55ZR17 M/C (73W) TL	
		Sportmax Sportsmart			Sportmax Sportsmart		
	Pirelli	Roadsmart 2	120/70 ZR17 M/C 58W TL		Roadsmart 2	180/55 ZR 17 M/C 73W TL	
		Diablo Rosso			Diablo Rosso		
		Diablo Rosso Corsa			Diablo Rosso Corsa		
	Continental	Scorpion Sync	120/70 ZR17 M/C 58W TL		Scorpion Sync	180/55 ZR 17 M/C 73W TL	
		Conti RaceAttack Street			Conti Race AttackStreet		
	Bridgestone	Conti Sport Attack	120/70 ZR17 M/C 58W TL		Conti Sport Attack	180/55 ZR 17 M/C 73W TL	
		BT03 F	120/70ZR17M/C (58W) TL		BT03 R	180/55ZR17 M/C (73W) TL	
	S20F	S20R					
Michelin	Power Pure A	120/70 ZR17 M/C 58W TL		Power Pure	180/55 ZR 17 M/C 73W TL		
	Pilot Power E			Pilot Power			
990 Superduke 2005/2006	Michelin	Pilot Power	120/70 ZR 17 M/C 58W TL		Pilot Power	180/55 ZR 17 M/C 73W TL	
		Pilot Power 2CT			Pilot Power 2CT		
	Pirelli	Diablo Strada			Diablo Strada		
		Diablo Corsa			Diablo Corsa		
		Diablo			Diablo		
		Diablo T - OEM			Diablo T - OEM		
		Diablo Supercorsa Pro			Diablo Supercorsa Pro		
	Metzeler	Roadtec Z8			Roadtec Z8		
Racetec K3		Racetec K3					



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE

>> www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten			
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.	
990 Superduke 2005-2006	Bridgestone	BT 014 SE	120/70 ZR 17 M/C 58W TL		BT 014	180/55 ZR 17 M/C 73W TL		
		BT 021 F			BT 021 F			
		BT 002 Street			BT 002 Street			
	Dunlop	Sportmax Qualifier			Sportmax Qualifier			
		Sportmax D208RR			Sportmax D208RR			
	Continental	Conti Sport Attack			Conti Sport Attack			
		Conti Race Attack			Conti Race Attack			
	Avon	Storm ST			Storm ST			
		Viper			Viper			
	990 Superduke R 2007-2009	Michelin			Power Pure			120/70 ZR17 M/C 58W TL
Pilot Road 2			Pilot Road 2					
Pirelli		Diablo Rosso Corsa	120/70 ZR17 M/C (58W) TL		Diablo Rosso Corsa	180/55ZR17 M/C (73W) TL		
		Diablo Corsa III			Diablo Corsa III			
		Diablo Rosso 2			Diablo Rosso 2			
		Metzeler	Supercorsa Pro	120/70 ZR 17 M/C 58W TL		Supercorsa Pro	180/55ZR17 M/C 73W TL	
			Diablo			Diablo		
			Diablo Strada			Diablo Strada		
			Scorpion Sync			Scorpion Sync		
Bridgestone		Sportec M3	120/70 ZR17 M/C (58W) TL		Sportec M3	180/55ZR17 M/C (73W) TL		
		Z8 Interact			Z8 Interact			
		Dunlop	Roadtec Z6 Interact	120/70 ZR 17 M/C 58W TL		Roadtec Z6 Interact	180/55 ZR 17 M/C 73W TL	
			Sportec M5 Interact			Sportec M5		
			Roadtec Z6			Roadtec Z6		
Racetec Interact K3			Racetec Interact K3					
Continental		S20 F	120/70 ZR 17 M/C 58W TL		S20 R	180/55 ZR 17 M/C 73W TL		
		BT 016 FL			BT 016 RL			
		BT 003 F Street			BT 003 Street			
		BT 021 F			BT 021			
		BT 002 Street			BT 002 Street			
		BT 016F Pro			BT 016 R Pro			
Avon		Sportmax Qualifier	120/70 ZR 17 M/C 58W TL		Sportmax Qualifier	180/55 ZR 17 M/C 73W TL		
		Sportmax Qualifier 2			Sportmax Qualifier 2			
		Sportmax Sportsmart			Sportmax Sportsmart			
Continental		Conti RoadAttack 2	120/70 ZR 17 M/C (58W) TL		Conti RoadAttack 2	180/55ZR17 M/C (73W) TL		
		Conti Motion			Conti Motion			
		Conti RaceAttack CE.			Conti RaceAttack CE.			
		Conti Sport Attack 2			Conti Sport Attack 2			
Avon		Conti Trail Attack	120/70 ZR 17 M/C 58W TL		Conti Trail Attack	180/55 ZR 17 M/C 73W TL		
		Storm ST AV55			Storm ST AV56			
		VP2 AV59 SP/SS			VP2 AV60 SP/SS			
		Storm 2			Storm 2			
		3D Ultra SP/SS			3D Ultra SP/SS			
		Viper			Viper			



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
» www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
990 Superduke 2007/2008	Michelin	Pilot Power	120/70 ZR 17 M/C 58W TL		Pilot Power	180/55 ZR 17 M/C 73W TL	
		Pilot Power 2CT			Pilot Power 2CT		
		Pilot Road			Pilot Road		
		Pilot Road 2			Pilot Road 2		
		Power Pure A			Power Pure		
	Pirelli	Diablo Rosso	120/70 ZR 17 M/C (58W) TL		Diablo Rosso	180/55 ZR 17 M/C (73W) TL	
		Diablo Corsa III			Diablo Corsa III		
		Supercorsa Pro	120/70 ZR 17 M/C 58W TL		Supercorsa Pro	180/55 ZR 17 M/C 73W TL	
		Diablo Corsa			Diablo Corsa		
		Diablo			Diablo		
		Diablo T			Diablo T		
		Diablo Strada			Diablo Strada		
		Scorpion Sync			Scorpion Sync		
	Metzeler	Sportec M3	120/70 ZR 17 M/C (58W) TL		Sportec M3	180/55 ZR 17 M/C (73W) TL	
		Racetec Front K3			Racetec K3		
		Roadtec Z6	120/70 ZR 17 M/C 58W TL		Roadtec Z6	180/55 ZR 17 M/C 73W TL	
		Racetec Interact K3			Racetec Interact K3		
	Bridgestone	BT 014 SE	120/70 ZR 17 M/C 58W TL		BT 014 SE	180/55 ZR 17 M/C 73W TL	
		BT 016 F			BT 016		
		BT 003 F Street			BT 003 Street		
		S20F	120/70ZR17 M/C (58W) TL		S20R	180/55ZR17 M/C (73W) TL	
		BT 021 F	120/70 ZR 17 M/C 58W TL		BT 021	180/55 ZR 17 M/C 73W TL	
		BT 002 Street			BT 002 Street		
	Dunlop	Sportmax Qualifier	120/70 ZR 17 M/C 58W TL		Sportmax Qualifier	180/55 ZR 17 M/C 73W TL	
		Sportmax Qualifier RR			Sportmax Qualifier RR		
		Sportmax Qualifier 2			Sportmax Qualifier 2		
		Sportmax D208RR			Sportmax D208RR		
	Continental	Conti RoadAttack 2	120/70 ZR 17 M/C 58W TL		Conti RoadAttack 2	180/55 ZR 17 M/C 73W TL	
		Conti Trail Attack			Conti Trail Attack		
		Conti Sport Attack	120/70 ZR 17 M/C 58W TL		Conti Sport Attack	180/55 ZR 17 M/C 73W TL	
		Conti RaceAttack Street			Conti RaceAttack Street		
		Conti RaceAttack CE.			Conti RaceAttack CE.		
Avon	Storm ST AV55	120/70ZR17 M/C 58W TL		Storm ST AV56	180/55ZR17 M/C 73W TL		
	3D Ultra SP/SS	120/70 ZR 17 M/C (58W) TL		3D Ultra SP/SS	180/55ZR17 M/C (73W) TL		
	VP2 AV59 SP/SS	120/70 ZR 17 M/C 58W TL		VP2 AV60 SP/SS	180/55 ZR 17 M/C 73W TL		
	Viper Sport			Viper Sport			
	Viper			Viper			



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten					
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.			
990 SM-T 2009/2010	Avon	Storm 2	120/70 ZR17 M/C 58W TL		Storm 2	180/55 ZR 17 M/C 73W TL				
		VP2 AV59 SP/SS			VP2 AV60 SP/SS					
		3D Ultra SP+SS			3D Ultra SP+SS					
		AV55 Storm ST			AV56 Storm ST					
	Metzeler	Sportec M5 Interact	120/70 ZR17 M/C 58W TL		Sportec M5 Interact	120/70 ZR17 M/C 58W TL				
		Dunlop			Sportmax Qualifier 2			Sportmax Qualifier 2		
	Roadsmart 2		120/70ZR17M/C (58W) TL		Roadsmart 2	180/55ZR17 M/C (73W) TL				
	Pirelli	Diablo Rosso	120/70 ZR17 M/C 58W TL		Diablo Rosso	120/70 ZR17 M/C 58W TL				
		Diablo Corsa III			Diablo Corsa III					
		Diablo Rosso Corsa			Diablo Rosso Corsa					
		Angel ST			Angel ST					
	Bridgestone	BT 016 F	120/70ZR17M/C (58W) TL		BT 016 R	120/70 ZR17 M/C 58W TL				
		BT 003 F Street			BT 003 R Street					
		S20F			S20R					
	Continental	BT 023 F	120/70 ZR17 M/C 58W TL		BT 023 R	120/70 ZR17 M/C 58W TL				
		Conti Road Attack 2	120/70 ZR17 M/C 58W TL		Conti Road Attack 2	120/70 ZR17 M/C 58W TL				
		Conti Trail Attack	120/70ZR17M/C (58W) TL		Conti Trail Attack	180/55ZR17 M/C (73W) TL				
		Conti Motion	120/70 ZR17 M/C 58W TL		Conti Motion	120/70 ZR17 M/C 58W TL				
	Conti RaceAttack Street	Conti RaceAttack Street								
	Michelin	Pilot Road 2D	120/70 ZR17 M/C 58W TL		Pilot Road 2A	120/70 ZR17 M/C 58W TL				
		Pilot Power 2CT			Pilot Power 2CT					
		Power Pure			Power Pure					
	990 SMT ABS 2011/2012	Avon	3D Ultra SP/SS		120/70 ZR 17 M/C (58W) TL			3D Ultra SP/SS	180/55 ZR 17 M/C (73W) TL	
			Storm2					Storm2		
Metzeler		Z8 Interact	Z8 Interact							
Dunlop		Roadsmart 2	Roadsmart 2							
Pirelli		Diablo Rosso 2	120/70 ZR 17 M/C (58W) TL	Diablo Rosso 2			180/55 ZR 17 M/C (73W) TL			
		Conti RoadAttack 2		Conti RoadAttack 2						
Conti TrailAttack		Conti TrailAttack								
Bridgestone		S20F	S20R							
Michelin	Power Pure A	Power Pure								
990 SMR ABS 2012	Dunlop	Roadsmart 2	120/70 ZR17 M/C (58W) TL		Roadsmart 2	180/55 ZR 17 M/C (73W) TL				
		Sportmax Sportsmart			Sportmax Sportsmart					
	Bridgestone	S20F			S20R					
	Conti	Conti Sport Attack			Conti Sport Attack					
Michelin	Power Pure A	Power Pure								
990 Adventure ABS 2006-2012	Pirelli	MT 90 scorpion A/T	90/90-21 M/C 54V		MT 90 Scorpion A/T	150/70-18 M/C 70V				
		Scorpion Trail			Scorpion Trail					
Continental	TKC80 M+S	90/90-21 M/C 54S M+S TT	TKC80 M+S	150/70 B18 M/C 70Q M+S TT						
990 SMR ABS 2013	Avon	Storm 3D X-M	120/70 ZR17 M/C (58W) TL		Storm 3D X-M	180/55 ZR17 M/C (73W) TL				
	Bridgestone	T30F	120/70 ZR17 M/C (58W) TL		T30R	180/55 ZR17 M/C (73W) TL				
990 SMT ABS 2013	Avon	Storm 3D X-M	120/70 ZR17 M/C (58W) TL		Storm 3D X-M	180/55 ZR17 M/C (73W) TL				
	Bridgestone	T30F	120/70 ZR17 M/C (58W) TL		T30R	180/55 ZR17 M/C (73W) TL				
	Dunlop	Sportsmart 2	120/70 ZR17 M/C (58W) TL		Sportsmart 2	180/55 ZR17 M/C (73W) TL				



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
» www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten						
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.				
1190 RC8 2008-2010	Avon	Viper Xtreme	120/70 ZR17 M/C (58W) TL		Viper	190/55 ZR 17 M/C (75W) TL					
		3D Ultra SP+SS			3D Ultra SP+SS						
		VP2 AV61 X-treme			VP2 AV62 X-treme						
	Metzeler	Sportec M3	120/70 ZR17 M/C (58W) TL		Sportec M3	190/55 ZR 17 M/C (75W) TL					
		Z8 Interact			Z8 Interact						
		Racetec Interact K3			Racetec Interact K3						
	Dunlop	Sportmax Qualifier RR	120/70 ZR17 M/C (58W) TL		Sportmax Qualifier RR	190/55 ZR 17 M/C (75W) TL					
		Sportmax Sportsmart			OE			Sportmax Sportsmart	OE		
		Sportmax Qualifier 2						Sportmax Qualifier 2			
	Pirelli	Diablo Rosso 2	120/70 ZR17 M/C (58W) TL		Diablo Rosso 2	190/55 ZR 17 M/C (75W) TL					
		Diablo Corsa III			Diablo Corsa III						
		Angel Street			Angel Street						
		Diablo Supercorsa SP			Diablo Supercorsa SP						
		Dragon Supercorsa pro			Dragon Supercorsa pro						
	Bridgestone	BT 016 F	120/70 ZR17 M/C (58W) TL		BT 016 R	190/55 ZR17 M/C (75W) TL					
		BT 016F Pro	120/70 ZR17 M/C (58W) TL		BT 016 R Pro	190/55 ZR17 M/C (75W) TL					
		S20F	120/70 ZR17 M/C (58W) TL		S20R	190/55 ZR 17 M/C (75W) TL					
		BT 003 F Street			BT 003 R Street						
	Continental	Conti Sport Attack	120/70 ZR17 M/C (58W) TL		Conti Sport Attack	190/55 ZR17 M/C (75W) TL					
		Conti RaceAttack CE.			Conti RaceAttack CE.						
Conti Sport Attack 2		Conti Sport Attack 2									
Michelin	Power One	120/70 ZR17 M/C (58W) TL		Power One	190/55 ZR17 M/C (75W) TL						
	Power Pure D	120/70 ZR17 M/C (58W) TL		Power Pure E	190/55 ZR17 M/C (75W) TL						
1190 RC8 R 2009-2014	Avon	3D Ultra SP/SS	120/70 ZR17 M/C (58W) TL		3D Ultra SP/SS	190/55 ZR 17 M/C (75W) TL					
		VP2 AV61 X-treme			VP2 AV62 X-treme						
	Metzeler	Sportec M3			Sportec M3						
		Dunlop			Sportmax Qualifier RR			Sportmax Qualifier RR			
	Sportmax Sportsmart				Sportmax Sportsmart						
	Sportmax Qualifier 2				Sportmax Qualifier 2						
	Pirelli	Diablo Rosso			120/70 ZR17 M/C (58W) TL				Diablo Rosso	190/55 ZR 17 M/C (75W) TL	
		Diablo Corsa III							Diablo Corsa III		
	Bridgestone	BT 016 F			120/70 ZR17 M/C (58W) TL				BT 016 R	190/55 ZR 17 M/C (75W) TL	
		S20F							S20R		
		BT 003 F Street							BT 003 R Street		
	Continental	Conti RaceAttack Street			120/70 ZR17 M/C (58W) TL				Conti RaceAttack Street	190/55 ZR17 M/C (75W) TL	
		Conti Sport Attack							Conti Sport Attack		
Michelin	Pilot Power 2CT	120/70 ZR17 M/C (58W) TL		Pilot Power 2CT	190/55 ZR17 M/C (75W) TL						
	Pilot Power			Pilot Power							
	Power Pure			Power Pure							



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
» www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
1050 Adventure 2015/2016	Michelin	Anankee 3	110/80 R 19 59V TL		Anankee 3	150/70 R 17 69V TL	
	Continental	TKC 70	110/80R19 M/C 59V TL M+S		TKC 70	150/70R17 M/C 69V TL M+S	
		TKC 80	110/80B19 M/C 59Q TL M+S	Maximum 160 km/h	TKC 80	150/70B17 M/C 69Q TL M+S	Maximum 160 km/h
		RoadAttack 2 EVO	110/80 R19 59V TL		RoadAttack 2 EVO	150/70 R 17 69V TL	
		Trail Attack 2	110/80R19 M/C 59V TL		Trail Attack 2	150/70R17 M/C 69V TL	
		Sportmax Roadsmart 2	110/80R19 M/C 59V TL		Sportmax Roadsmart 2	150/70R17 M/C 69V TL	
	Dunlop	TRAILSMART	110/80R19 M/C 59V TL		TRAILSMART	150/70R17 M/C 69V TL	
		ROADSMART 3	110/80R19 M/C 59V TL		ROADSMART 3	150/70R17 M/C 69V TL	
		Karoo 3	110/80 - 19 M/C 59R M+S TL		Karoo 3	150/70R17 M/C 69V TL	
	Metzeler	Roadtec 01	110/80 R 19 59V TL		Roadtec 01	150/70 R 17 69V TL	
		Tourance Next	110/80 R19 M/C 59V TL		Tourance Next	150/70 R17 M/C 69V TL	
		Pirelli	Scorpion Rally	110/80 - 19 M/C 59R M+S TL	Maximum 160 km/h	Scorpion Rally	150/70 - 17 M/C 69R M+S TL
	Angel GT		110/80R19 M/C 59V TL		Angel GT	150/70R17 M/C 69V TL	
	1190 Adventure ABS 2013-2016	Continental	Conti TrailAttack 2 K	120/70 ZR 19 M/C 60W TL		Conti TrailAttack 2 K	170/60 ZR 17 M/C 72W TL
TKC 80 Twinduro			120/70 B19 M/C 60Q M+S TL	Maximum 160 km/h	TKC 80 Twinduro	170/60 B17 M/C 72Q M+S TL	Maximum 160 km/h
Dunlop		ROADSMART II	120/70ZR19 M/C (60W) TL		ROADSMART II	170/60ZR17 M/C (72W) TL	
1090 Adventure 2017	Michelin	Anankee 3	110/80 R 19 M/C 59V TL		Anankee 3	150/70 R 17 M/C 69V TL	
	Continental	TKC 70	110/80 R 19 M/C 59V TL M+S		TKC 70	150/70 R 17 M/C 69V TL M+S	
		TKC 80	110/80 B 19 M/C 59Q TL M+S	Maximum 160 km/h	TKC 80	150/70 B 17 M/C 69Q TL M+S	Maximum 160 km/h
		ContiRoadAttack 2 EVO	110/80 R 19 M/C 59V TL		ContiRoadAttack 2 EVO	150/70 R 17 M/C 69V TL	
		ContiTrailAttack 2	110/80 R 19 M/C 59V TL		ContiTrailAttack 2	150/70 R 17 M/C 69V TL	
		Sportmax Roadsmart 2	110/80 R 19 M/C 59V TL		Sportmax Roadsmart 2	150/70 R 17 M/C 69V TL	
	Dunlop	TrailSmart	110/80 R 19 M/C 59V TL		TrailSmart	150/70 R 17 M/C 69V TL	
		RoadSmart 3	110/80 R 19 M/C 59V TL		RoadSmart 3	150/70 R 17 M/C 69V TL	
		Karoo 3	110/80 - 19 M/C 59R M+S TL		Karoo 3	150/70 R 17 M/C 69V TL	
	Metzeler	Roadtec 01	110/80 R 19 M/C 59V TL		Roadtec 01	150/70 R 17 M/C 69V TL	
		Tourance Next	110/80 R 19 M/C 59V TL		Tourance Next	150/70 R 17 M/C 69V TL	
		Pirelli	Scorpion Rally	110/80 - 19 M/C 59R M+S TL	Maximum 160 km/h	Scorpion Rally	150/70 - 17 M/C 69R M+S TL
	Angel GT		110/80 R 19 M/C 59V TL		Angel GT	150/70 R 17 M/C 69V TL	
	1290 Super Adventure S 2017	Pirelli	Scorpion Trail II K	120/70 ZR 19 M/C 60W TL	OE	Scorpion Trail II K	170/60 ZR 17 M/C 72W TL
Continental		ContiTrailAttack 2 K	120/70 ZR 19 M/C 60W TL		ContiTrailAttack 2 K	170/60 ZR 17 M/C 72W TL	
		TKC 80	120/70 B 19 M/C 60Q TL M+S	Maximum 160 km/h	TKC 80	170/60 B 17 M/C 72Q TL M+S	Maximum 160 km/h
Dunlop		RoadSmart II	120/70 ZR 19 M/C (60W) TL		RoadSmart II	170/60 ZR 17 M/C (72W) TL	
1190 Adventure R ABS ab 2013/2016	Continental	Conti TrailAttack 2	90/90 V21 M/C (54V) TL		Conti TrailAttack 2	150/70 ZR18 M/C 70W TL	
		TKC 80 Twinduro	90/90 -21 M/C 54T M+S TL	Maximum 160 km/h	TKC 80 Twinduro	150/70 B18 M/C 70Q M+S TL	Maximum 160 km/h



EMPFOHLENE UND FREIGELEGEBENE REIFEN

READY TO RACE
» www.ktm.com

Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.
1090 Adventure R	Continental	ContiTrailAttack 2	90/90 V 21 M/C (54V) TL	Maximum um 160 km/h	ContiTrailAttack 2	150/70 ZR 18 M/C 70W TL	Maximum um 160 km/h
		TKC 80	90/90 - 21 M/C 54T M+S TL		TKC 80	150/70 B 18 M/C 70Q M+S TL	
1290 Superadventure	Continental	Conti TrailAttack 2 K	120/70 ZR 19 M/C 60W TL	Maximum 160 km/h	Conti TrailAttack 2 K	170/60 ZR 17 M/C 72W TL	Maximum 160 km/h
		TKC 80	120/70B19 M/C 60Q TL M+S		TKC 80	170/60B17 M/C 72Q TL M+S	
	Dunlop	ROADSMART II	120/70ZR19 M/C (60W) TL		ROADSMART II	170/60ZR17 M/C (72W) TL	
1290 Super Adventure R 2017	Continental	ContiTrailAttack 2	90/90 V 21 M/C (54V) TL	Maximum 160 km/h	ContiTrailAttack 2	150/70 ZR 18 M/C 70W TL	Maximum 160 km/h
		TKC 80	90/90 - 21 M/C 54T M+S TL		TKC 80	150/70 B 18 M/C 70Q M+S TL	
1290 Superduke R / GT ABS 2014-2016	Dunlop	Sportmax Sportsmart2	120/70 ZR17 M/C (58W) TL	OE	Sportmax Sportsmart2	190/55 ZR17 M/C (75W) TL	OE
		Qualifier 2	120/70 ZR17 M/C (58W) TL		Qualifier 2	190/55 ZR17 M/C (75W) TL	
	Metzeler	Racetec RR K3	120/70 ZR 17 (58W) TL		Racetec RRRK3	190/55 ZR 17 (75W) TL	
		Roadtec Z8 Interact M	120/70 ZR17 M/C (58W) TL		Roadtec Z8 Interact M	190/55 ZR17 M/C (75W) TL	
	Pirelli	Angel GT	120/70 ZR17 M/C (58W) TL		Angel GT D	190/55 ZR17 M/C (75W) TL	
		Diablo Rosso Corsa	120/70 ZR17 M/C (58W) TL		Diablo Rosso Corsa	190/55 ZR17 M/C (75W) TL	
		Diablo Rosso 3	120/70 ZR17 M/C (58W) TL		Diablo Rosso 3	190/55 ZR17 M/C (75W) TL	
	Michelin	Power Supersport/EVO	120/70 ZR 17 M/C (58W) TL		Power Supersport/EVO	190/55 ZR17 M/C (75W) TL	
	Avon	3D Ultra Sport	120/70 ZR17 M/C (58W) TL		3D Ultra Sport	190/55 ZR17 M/C (75W) TL	
	Continental	Conti RaceAttack Competition Endurance	120/70 ZR17 M/C (58W) TL		Conti RaceAttack Competition Endurance	190/55 ZR17 M/C (75W) TL	
		RoadAttack2 EVO	120/70 ZR 17 (58W) TL		RoadAttack2 EVO	190/55 ZR17 (75W) TL	
		SportAttack 3	120/70 ZR 17 (58W) TL		SportAttack 3	190/55 ZR 17 (75W) TL	
Bridgestone	T30F	120/70 ZR17 M/C (58W) TL	T30R	190/55 ZR17 M/C (75W) TL			
1290 Super Duke R 2017	Metzeler	Sportec M7 RR	120/70 ZR 17 M/C (58W) TL	OE	Sportec M7 RR	190/55 ZR 17 M/C (75W) TL	OE
1290 Superduke GT 2017	Pirelli	Angel GT	120/70 ZR 17 M/C (58W) TL	OE	Angel GT D	190/55 ZR 17 M/C (75W) TL	OE
		Diablo Rosso Corsa	120/70 ZR 17 M/C (58W) TL		Diablo Rosso Corsa	190/55 ZR 17 M/C (75W) TL	
		Diablo Rosso III	120/70 ZR 17 M/C (58W) TL		Diablo Rosso III	190/55 ZR 17 M/C (75W) TL	
	Dunlop	Sportmax Sportsmart2	120/70 ZR 17 M/C (58W) TL		Sportmax Sportsmart2	190/55 ZR 17 M/C (75W) TL	
		Qualifier II	120/70 ZR 17 M/C (58W) TL		Qualifier II	190/55 ZR 17 M/C (75W) TL	
	Metzeler	Racetec RR K3	120/70 ZR 17 M/C (58W) TL		Racetec RRRK3	190/55 ZR 17 M/C (75W) TL	
		Roadtec Z8 Interact M	120/70 ZR 17 M/C (58W) TL		Roadtec Z8 Interact M	190/55 ZR 17 M/C (75W) TL	
	Pirelli	Angel GT	120/70 ZR 17 M/C (58W) TL		Angel GT D	190/55 ZR 17 M/C (75W) TL	
		Diablo Rosso Corsa	120/70 ZR 17 M/C (58W) TL		Diablo Rosso Corsa	190/55 ZR 17 M/C (75W) TL	
		Diablo Rosso III	120/70 ZR 17 M/C (58W) TL		Diablo Rosso III	190/55 ZR 17 M/C (75W) TL	
	Michelin	Power Supersport/EVO	120/70 ZR 17 M/C (58W) TL		Power Supersport/EVO	190/55 ZR 17 M/C (75W) TL	
	Avon	3D Ultra Sport	120/70 ZR 17 M/C (58W) TL		3D Ultra Sport	190/55 ZR 17 M/C (75W) TL	
	Continental	ContiRaceAttack Competition Endurance	120/70 ZR 17 M/C (58W) TL		ContiRaceAttack Competition Endurance	190/55 ZR 17 M/C (75W) TL	
		ContiRoadAttack2 EVO	120/70 ZR 17 M/C (58W) TL		ContiRoadAttack2 EVO	190/55 ZR 17 M/C (75W) TL	
		ContiSportAttack 3	120/70 ZR 17 M/C (58W) TL		ContiSportAttack 3	190/55 ZR 17 M/C (75W) TL	
Bridgestone	T30F	120/70 ZR 17 M/C (58W) TL	T30R	190/55 ZR 17 M/C (75W) TL			



Den entsprechenden Reifenluftdruck finden Sie in der Bedienungsanleitung Ihres Fahrzeugs!

Fzg.	Hersteller	Reifen vorne			Reifen hinten		
		Typ	Dimensionen	Komm.	Typ	Dimensionen	Komm.

Sicherheitshinweise:

- Reifenfreigaben gelten immer paarweise pro Zeile!
- Indizes sind Mindestangaben
- Reifen mit NHS-Markierung sind nicht zugelassen auf öffentliche Straßen
- Bei Verwendung von Spezialreifen wie M+S oder Reifen der Ausführung D, muss der Fahrer deren zulässige Höchstgeschwindigkeit beachten und einhalten.
Hierzu ist ein Aufkleber mit der zulässigen Höchstgeschwindigkeit im Sichtfeld des Fahrers notwendig.
- Der vorgeschriebene Mindestluftdruck muss eingehalten und regelmäßig überprüft werden.
- Die Reifen müssen regelmäßig auf Beschädigungen geprüft werden.
- Die maximale Tragfähigkeit nicht überschreiten!
- Die Reifenmontage nur durch einen Fachmann!

Legende:

Hinweis in eigener Sache: Reifentests sind fixer Bestandteil der KTM Fahrzeugentwicklung. Mit dem Wissen um dem großen Einfluss von Reifenkonstruktionen auf das Fahrverhalten, beschäftigt sich die KTM Entwicklungsabteilung seit Jahren intensiv mit der Reifenerprobung. Motorradreifen gehören bei KTM zum gesamten Fahrzeugkonzept. Wir testen sowohl im Dauerlauf als auch unter speziellen Bedingungen (Regen, Hitze, Rennstrecke,...) mögliche Reifen auf ihre optimale Eignung für das Fahrzeug. Nur der Reifen, der das umfangreiche Testprozedere im Hinblick auf Hochgeschwindigkeitsstabilität, Lenkpräzision, Handling, Nass- und

OE: Serienreifen
 NHS: Nicht auf öffentlichen Straßen zugelassen
 M+S: Matsch und Schnee
 M/C: Motorradreifen
 MST: Reifen für Sondereinsatzarten
 TT: Schlauchreifen
 TL: Schlauchlosreifen

Speed rating		Load index	
Rating	km/h	Index	kg
F	80	54	212
G	90	55	218
J	100	56	224
K	110	57	230
L	120	58	236
M	130	59	243
N	140	60	250
P	150	61	257
Q	160	62	265
R	170	63	272
S	180	64	280
T	190	65	290
U	200	66	300
H	210	67	307
V/VB	240	68	315
(V) (VB)	über 240	69	325
W	270	70	335
(W)	über 270	71	345
ZR	über 240	72	355
		73	365
		74	375
		75	387
		76	400
		77	412
		78	425
		79	437

